

PISCES FISH
MACHINERY, Inc.

FR-3500



**HIGH-YIELD FILLETING
AND RIB REMOVAL**

pisces-ind.com

PATENTED HIGH PRECISION CUTTING SYSTEM

The FR-3500 utilizes the Pisces patented three blade backbone removal system.



SPECIFICALLY DESIGNED TO PRODUCE HIGH-YIELD FILLETS FROM FISH IN THE SIZE RANGE 600 G TO 3.5 KG DEPENDING ON SPECIES. THROUGHPUTS UP TO 30 FISH / MINUTE DEPENDING ON FISH SIZE.



KEY FEATURES PLC

- Precise control of high yield cutting and rib removal
- Water protected touch screen
- Pre-programmed settings
- Instant troubleshooting
- Programming and maintenance over internet connection



HMI INTERFACE

PLC with user friendly operation

WIDE RANGE OF SPECIES

Pangasius, Tilapia, Trout, Arctic Char, Barramundi, Snappers and similar species where the rib follows the contour of the belly cavity.

SUITABLE FOR FRESH & PREVIOUSLY FROZEN FISH



STAND ALONE OR INLINE

Incorporating belly opening and eviscerating components the machine requires only that the fish be headed before introduction to the machine and can be used in conjunction with the Pisces headcutters.

KEY FEATURES

- High yield and production rates
- Open Hygienic design
- Gentle fish handling
- Easy to operate and maintain
- Low operating and maintenance costs
- Robust design
- Small footprint
- Easy and fast adjustment for different fish size





Exclusively Devoted to the Fish Processing Industry



	A	B	C
mm	3424	2016	1027
in	135	75	40

These are indicative values.

Detailed drawings are available on request.

Utilities	
	Standard Garden Hose Connection 1/2" 3.8 Liters/minute (1 US gallon/minute)
	3 phase, 208-480 Volts, 50/60 Hz 7.7 Kw (10.5 Hp)
	6 Bar (90 Psi)
	1

Specifications subject to change without notice. US Patent No. 11,140,907 B2

Date of Patent: Oct. 12, 2021. Meets all CE machine directives.


P.O. BOX 189

WELLS, MICHIGAN 49894, TEL: 906/789-1636

FAX: 906/789-1211

E-MAIL: pisces@pisces-ind.com

WEB: www.pisces-ind.com



PISCES FISH
MACHINERY, Inc.